



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Basic Black
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Power Black
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Mixing White
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] White
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Brown
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Pomegranate
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Power Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Really Red
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Magenta
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Power Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Sangria
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Power Purple
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Orange
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Greywash Extra Light
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Greywash Light
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Greywash Medium
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Greywash Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Greywash Extra Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Atomic Yellow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blue Sky
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Bomber Grey
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Brick Red
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Cornflower
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Flesh
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Light Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Light Flesh
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Mauve
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Periwinkle
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Power Brown
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Royal Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Saigon Pink
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blue Mist
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Opaque Blue Extra Light
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Blue Light
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Blue Medium
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Blue Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Blue Extra Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Opaque Grey Extra Light
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Opaque Grey Light
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Grey Medium
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Grey Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Opaque Grey Extra Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Midnight
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blue Bird
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Crimson Red
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Smokey Grey
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Eagle Brown
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bio Orchid
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bio Mech Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Deep Flesh
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Sea Turtle Shell
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Hunter Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Sea Grape
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Stone Grey
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bloodberry
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Aurora Purple
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Cosmic Blue
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Abyss
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Chinook
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Morning Shade
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blackberry Porter
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Lotus
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Sea Foam
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Raspberry Cheeks
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Pretty Purple
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Primrose
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Purple Heart
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Tahitian Teal
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] True Blood Red
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Turquoise
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Turquoise Concentrate
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Wild Lavender
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Lush Lilac
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Soft Mint
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Cold Steel
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Arctic Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Atlantis
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bubblegum Pink
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Cool Mint
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Deep Purple
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Emerald Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Flaming Pink
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Foundation Flesh
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Fuchsia
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Hot Mustard
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Icy Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Key Lime
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Magenta
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Mixing Yellow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blue Steel
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bruised Plum
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Smooth Metal
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blueberry
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Burgundy
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Faded Denim
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bimini Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Shark Skin
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Sailfish
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Tiger Shark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Deep Ocean
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Frost
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Indigo
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Majestic Purple
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Muted Red
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Robin's Egg
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Spearmint
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Taupe
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Terracotta
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Tequila Sunrise
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Tyrian Purple
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Artichoke
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Burnt Sienna
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Butterscotch
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Canteloupe
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Gamma Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Golden Yellow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Hazelnut
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Leafy Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Melon Red
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Mandarin Orange
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Moss Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Raw Sienna
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Tangelo
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Yellow Ochre
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Pastel Pink
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Lemon Drop
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Red Velvet
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Wet Sand
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bone
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blush
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Liquid Flesh
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Shipwreck
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Stingray
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Algae
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Deep Caribbean
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Snail
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Fire Coral
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Nebula Red
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Proton Pink
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Solar Flare
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Android Green
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Super Red
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Forest Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] GI Green
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Ole Yellow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Organic Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Autumn Orange
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Blood Orange
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Olive
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Neon Yellow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Paprika
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Pumpkin Spice
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Flesh Tone Extra Light
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Flesh Tone Light
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Flesh Tone Medium
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Flesh Tone Dark
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Flesh Tone Extra Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Muted Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Muted Green
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Muted Purple
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Muted Yellow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Sahara Tan
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Salmon
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Shamrock
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Tejas Tan
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Yellow Jacket
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Coral Reef
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Spring Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Phthalo Green
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] True Purple
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Shadow Core
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Espresso
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Storm Shadow
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Zombie Gray
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Sun Kissed
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dusk
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Green Machine
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Purple Haze
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Rosey Cheeks
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Warm Skin
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Blue
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Honey Gold
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Jade
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Banoffee
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Dirty Orange
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Burnt Caramel
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Pearl
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Rouge
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Dark Matter
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Ruby Wine
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bolo Extra Light
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bolo Light
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Bolo Medium
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
tattoolab.eu

[Bank] Sparkasse Gütersloh
Konrad-Adenauer-Platz 1
33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bolo Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Bolo Extra Dark
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Hagi
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Shaka
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Inari
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Hanezu
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Ehou
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
Middlemore Lane West
WS9 8BG Aldridge, Walsall
UNITED KINGDOM

CTL[®] no **388880_388820_388114_387570**
 382742_376769

[Order date] ---
[Date received] ---
[Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
[Brand] Fusion Ink
[Colour/product code] Koke
[Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


.....
Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
[Managing director] Kerry-Luise Prior
[Registered office in] Bielefeld
[Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
[Email] sekretariat@ctl-mails.de
[Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
[SWIFT/BIC] WELADED 1 GTL
[IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Oimatsu
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Houou
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Yin
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

Body Shock Ltd.
 Middlemore Lane West
 WS9 8BG Aldridge, Walsall
 UNITED KINGDOM

CTL [®] no	388880_388820_388114_387570 382742_376769
---------------------	--

[Order date] ---
 [Date received] ---
 [Service date] 23.05.2019

tattoolab.eu


Certificate

[Article] Tattoo colour
 [Brand] Fusion Ink
 [Colour/product code] Kohen
 [Test] PAH and BaP acc. to CoE Resolution ResAP(2008)1: Part 4

Part 4 Testing of Polycyclic Aromatic Hydrocarbons (PAH) and Benzo-a-Pyrene (BaP) according to CoE Resolution ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb		EPA, ZEK 2008-01	
Amount (ppm)	Elements or compound	Amount (ppm)	Elements or compound
---	Naphthalene	---	Benz(a)anthracene
---	Acenaphthylene	---	Chrysene
---	Acenaphthene	---	Benzo(b)fluoranthene
---	Fluorene	---	Benzo(k)fluoranthene
---	Phenanthrene	---	Dibenzo(a,h)anthracene
---	Anthracene	---	Indo (1,2,3-cd)pyrene
---	Fluoranthene	---	Benzo(g,h,i)perylene
---	Pyrene	---	Benzo-a-pyrene (BaP)

Result as total: all below detection limit

BIELEFELD, 23. MAY 2019


 Helmut Meyer (lab manager)

(---) = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

[Address] Krackser Straße 12
 33659 Bielefeld, Germany
 [Managing director] Kerry-Luise Prior
 [Registered office in] Bielefeld
 [Register of companies] AG Bielefeld, HRB 35-412

[Phone] +49 521 400 82 89 0
 [Email] sekretariat@ctl-mails.de
 [Homepage] ctl-bielefeld.de
 tattoolab.eu

[Bank] Sparkasse Gütersloh
 Konrad-Adenauer-Platz 1
 33330 Gütersloh, Germany
 [SWIFT/BIC] WELADED 1 GTL
 [IBAN] DE87 4785 0065 0004 0053 45